

FAIRYTALE 4PLY

Patons

PRICE CODE **C** **8554**
41-61 cm
16-24 in
★★★



1st size sweater
1st two sizes cardigan
take only one
Magic Value
100g ball

SWEATER AND CARDIGAN

To fit chest

41	46	51	56	61	cm
16	18	20	22	24	in (approx)

★★★For knitters with some experience

Sweater**Actual size**

44	48	54	60	64	cm
17½	19	21½	23½	25	in (approx)

Finished length

20	23	26	30	34	cm
8	9	10	12	13½	in (approx)

Patons Fairytale 4 ply Courtelle/Bri-Nylon

2	3	3	3	4	50 gram balls or
1	2	2	2	2	100 gram 'Magic Value' balls

Cardigan**Actual size**


41	48	53	60	65	cm
16	19	21	23½	25½	in (approx)

Finished length


21	24	27	31	35	cm
8½	9½	10½	12	14	in (approx)

Patons Fairytale 4 ply Courtelle/Bri-Nylon


2	2	3	3	3	50 gram balls or
1	1	2	2	2	100 gram 'Magic Value' balls




**BACK AND FRONT
SWEATER**



**BACK
CARDIGAN**



**LEFT FRONT
CARDIGAN**



**SLEEVES
SWEATER AND CARDIGAN**

Quantities of yarn are approximate as they are based on average requirements. Check the actual yarn colour – as printing may not match yarn exactly.

We recommend Milward or Susan Bates knitting needles.

Pair each Nos 2¾ mm and 3¼ mm needles.

4 [4, 4, 5, 5] buttons for Sweater.

4 [4, 5, 5, 5] buttons for Cardigan.

Tension

On No 3¼ mm needles, 26 sts and 36 rows to 10 cm (patt), 28 sts and 36 rows to 10 cm (stocking st).

Abbreviations

K=knit; P=purl; st=stitch; tog=together; inc=increase by working into front and back of stitch; dec=decrease by working 2 stitches together; beg=beginning; alt=alternate; rep=repeat; cm=centimetres; in=inches; mm=millimetres; sL1K=slip 1 knitways; yfwd=yarn forward; yrn=yarn round needle; psso=pass slip stitch over; patt=pattern; 0=no st or time.

M1=make a stitch by picking up horizontal loop lying before next stitch and working into back of it.

Note: Where a number of sts is given this refers to the basic number and does not include those made in the pattern.

Sweater**BACK**

** With No 2¾ mm needles, cast on 57 [63, 71, 77, 85] sts and work in rib as follows:

1st row—(Right side), K1, * P1, K1; rep from * to end.

2nd row—P1, * K1, P1; rep from * to end.

Rep these 2 rows until work measures 3 [3, 4, 4, 5] cm, ending with a 2nd row dec 1 [0, 1, 0, 1] st at centre on last row (56 [63, 70, 77, 84] sts).

Change to No 3¼ mm needles and work in **patt** as follows:

1st row—(Right side), P1, * K1, (yfwd, K1) 4 times, P2; rep from * to last 6 sts, K1, (yfwd, K1) 4 times, P1.

2nd row—K1, * P1, (K1, P1) 4 times, K2; rep from * to last 10 sts, P1, (K1, P1) 4 times, K1.

3rd row—P1, * K1, P1, sL1K, K1, psso, K1, K2tog, P1, K1, P2; rep from * to last 10 sts, K1, P1, sL1K, K1, psso, K1, K2tog, P1, K1, P1.

4th row—K1, * P1, K1, P3tog, K1, P1, K2; rep from * to last 8 sts, P1, K1, P3tog, K1, P1, K1.

These 4 rows form patt.**

Continue in patt until Back measures approx 10 [13, 15, 16, 19] cm, ending with a 4th row of patt.

Keeping continuity of patt, **divide for back opening** as follows:

Next row—Patt 26 [29, 32, 36, 39], turn and leave remaining sts on a spare needle.

Continue on these sts for first side until Back measures approx 20 [23, 26, 30, 34] cm, ending with 4th row of patt.

Shape shoulder by casting off 6 [7, 7, 8, 9] sts at beg of next and following alt row. Work 1 row.

Cast off 6 [7, 8, 9, 10] sts at beg of next row. Work 1 row.

Leave remaining 8 [8, 10, 11, 11] sts on a spare needle.

With right side facing, slip centre 4 [5, 6, 5, 6] sts on a safety-pin, rejoin yarn to remaining sts, patt to end.

Work to match first side, reversing shapings.

FRONT

Work as for Back from ** to **.

Continue in patt until 12 [12, 16, 16, 16] rows less than on Back have been worked before start of shoulder shaping, thus ending with a 4th row of patt.

Keeping continuity of patt, **divide for neck** as follows:

Next row—Patt 22 [25, 28, 31, 34], turn and leave remaining sts on a spare needle.

Continue on these sts for first side dec 1 st at neck edge on next 4 [4, 6, 6, 6] rows (18 [21, 22, 25, 28] sts).

Work 7 [7, 9, 9, 9] rows, thus ending with right side facing for next row.

Shape shoulder by casting off 6 [7, 7, 8, 9] sts at beg of next and following alt row. Work 1 row.

Cast off remaining 6 [7, 8, 9, 10] sts.

With right side facing, slip centre 12 [13, 14, 15, 16] sts on a spare needle, rejoin yarn to remaining sts, patt to end.

Work to match first side, reversing shapings.

SLEEVES

With No 2¾ mm needles, cast on 29 [37, 39, 43, 45] sts and work in rib as on Back for 3 cm, ending with a 1st row.

1st and 2nd sizes: Next row—In rib dec 1 [2] sts evenly (28 [35] sts).

3rd, 4th and 5th sizes: Next row—Rib [6, 4, 2], * M1, rib [13, 7, 4]; rep from * to last [7, 4, 3] sts, M1, rib to end ([42, 49, 56] sts).

All sizes: Change to No 3¼ mm needles and work in patt as on Back, shaping sides by inc 1 st at each end of 5th [7th, 9th, 11th, 13th] and every following 4th [6th, 8th, 10th, 12th] row until there are 38 [43, 56, 53, 62] sts, taking inc sts into patt.

1st, 2nd, 4th and 5th sizes: Inc 1 st at each end of every following alt [4th, 8th, 10th] row until there are 52 [53, 67, 72] sts, taking inc sts into patt.

All sizes: Work 1 [3, 7, 7, 9] rows, thus ending with a 4th row of patt. Cast off loosely.

MAKE UP AND BORDERS

Do not press. Join shoulder seams.

Neck Border: With right side facing and No 2¾ mm needles, starting at top of left back opening, K8 [8, 10, 11, 11] from left back, **knit up** 14 [14, 18, 18, 18] sts down left side of neck, K12 [13, 14, 15, 16] from front inc 1 [0, 1, 0, 1] st at centre, **knit up** 14 [14, 18, 18, 18] sts up right side of neck, then K8 [8, 10, 11, 11] from right back (57 [57, 71, 73, 75] sts).

Starting and ending with a 2nd row, work in rib as on Back for 4 cm.

Using a No 3¼ mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Place centre of cast off edge of sleeves to shoulder seams and sew Sleeves in position to Back and Front.

Join side and sleeve seams.

Button Border: With No 2¾ mm needles, cast on 7 sts and work in rib as follows:

1st row—(Right side), K2, (P1, K1) twice, K1.

2nd row—K1, (P1, K1) 3 times.

Rep these 2 rows until Border, when slightly stretched, fits up left back opening to top of Neck Border.

Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: With right side facing and No 2¾ mm needles, K4 [5, 6, 5, 6] sts from safety-pin inc 3 [2, 1, 2, 1] sts evenly (7 sts).

Starting with a 2nd row, work in rib as on Button Border with the addition of 4 [4, 4, 5, 5] buttonholes, first to come 1 cm up from division, 4th [4th, 4th, 5th, 5th] to come at centre of Neck Border and remaining 2 [2, 2, 3, 3] spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end.

Neatly stitch Button Border at base of opening on wrong side.

Sew on buttons.

Cardigan

LEFT FRONT

**** With No 2¾ mm needles**, cast on 27 [29, 33, 35, 39] sts and work in rib as on Back of Sweater for 3 [3, 4, 4, 5] cm, ending with a 1st row.

1st, 2nd and 3rd sizes: Next row—In rib inc 0 [2, 2] sts evenly (27 [31, 35] sts).

4th and 5th sizes: Next row—Rib 4, * M1, rib [9, 10]; rep from * to last [4, 5] sts, M1, rib to end ([39, 43] sts).

All sizes: Change to No 3¼ mm needles and work in **patt** as follows:**

1st row—(Right side), K18 [22, 26, 30, 34], P2, K1, (yfwd, K1) 4 times, P2.

2nd row—K2, P1, (K1, P1) 4 times, K2, P to end.

3rd row—K18 [22, 26, 30, 34], P2, K1, P1, sL1K, K1, psso, K1, K2tog, P1, K1, P2.

4th row—K2, P1, K1, P3tog, K1, P1, K2, P to end.

These 4 rows form patt.

Continue in patt until Front measures approx 11 [14, 16, 17, 20] cm, ending with a 4th row of patt.

Keeping continuity of patt, **shape front slope** as follows:

Next row—K to last 11 sts, K2tog, patt 9.

Next row—In patt.

Rep last 2 rows 2 [2, 6, 3, 3] times more (24 [28, 28, 35, 39] sts).

Continue thus, dec 1 st at front edge as before on next and every following 4th row until 18 [22, 23, 27, 30] sts remain.

Work straight until Front measures approx 21 [24, 27, 31, 35] cm, ending with a 4th row of patt.

Shape shoulder by casting off 6 [7, 8, 9, 10] sts at beg of next and following alt row. Work 1 row.

Cast off remaining 6 [8, 7, 9, 10] sts.

RIGHT FRONT

Work as for Left Front from ** to **.

1st row—(Right side), P2, K1, (yfwd, K1) 4 times, P2, K to end.

2nd row—P18 [22, 26, 30, 34], K2, P1, (K1, P1) 4 times, K2.

3rd row—P2, K1, P1, sL1K, K1, psso, K1, K2tog, P1, K1, P2, K to end.

4th row—P18 [22, 26, 30, 34], K2, P1, K1, P3tog, K1, P1, K2.

These 4 rows form patt.

Continue in patt and work to match Left Front, reversing shapings, **noting** that **sL1K, K1, psso** will be worked in place of K2tog at front slope shaping and that an extra row will have to be worked before start of shoulder shaping.

BACK

With No 2¾ mm needles, cast on 57 [63,

71, 77, 85] sts and work in rib as on Back of Sweater for 3 [3, 4, 4, 5] cm, ending with a 1st row.

1st size: Next row—In rib inc 2 sts evenly (59 sts).

2nd, 3rd, 4th and 5th sizes: Next row—Rib [7, 8, 6, 7], * M1, rib [16, 18, 13, 14]; rep from * to last [8, 9, 6, 8] sts, M1, rib to end ([67, 75, 83, 91] sts).

All sizes: Change to No 3¼ mm needles and starting with a K row, work in stocking st until Back matches Fronts to start of shoulder shaping, ending with right side facing for next row.

Shape shoulders by casting off 6 [7, 8, 9, 10] sts at beg of next 4 rows, then 6 [8, 7, 9, 10] sts at beg of following 2 rows. Cast off remaining 23 [23, 29, 29, 31] sts.

SLEEVES

With No 2¾ mm needles, cast on 29 [37, 39, 43, 45] sts and work in rib as on Back of Sweater for 3 cm, ending with a 1st row.

1st and 2nd sizes: Next row—Rib 2 [3], * M1, rib 3 [4], M1, rib 4 [5]; rep from * to last 6 [7] sts, M1, rib 3 [4], M1, rib to end (37 [45] sts).

3rd, 4th and 5th sizes: Next row—Rib [3, 2, 2], * (M1, rib [5, 4, 4]), twice, M1, rib [4, 5, 3]; rep from * to last [8, 2, 10] sts, (M1, rib 5) [1, 0, 0] time, (M1, rib 4) [0, 0, 2] times, M1, rib to end ([47, 53, 57] sts).

All sizes: Change to No 3¼ mm needles and starting with a K row, work in stocking st, shaping sides by inc 1 st at each end of 5th [9th, 9th, 9th, 11th] and every following 4th [8th, 8th, 8th, 8th] row until there are 51 [49, 61, 69, 79] sts.

1st, 2nd and 4th sizes: Inc 1 st at each end of every following alt [6th, 6th] row until there are 57 [57, 73] sts.

All sizes: Work 1 [5, 7, 5, 7] rows, thus ending with right side facing. Cast off loosely.

MAKE UP AND BORDERS

Do not press. Join shoulder seams.

Place centre of cast off edge of sleeves to shoulder seams and sew Sleeves in position to Fronts and Back.

Join side and sleeve seams.

Button Border: With No 2¾ mm needles, cast on 7 sts and work in rib as follows:

1st row—(Right side), K2, (P1, K1) twice, K1.

2nd row—(K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front and round to centre back of neck.

Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: Work as for Button Border with the addition of 4 [4, 5, 5, 5] buttonholes, first to come 1 cm up from lower edge, last to come 1 cm below start of front slope shaping and remaining 2 [2, 3, 3, 3] spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end.

Join Borders at centre back of neck. Sew on buttons.

WASHING AND CARING FOR PATONS YARNS

Hand washing is always best. For yarns made mainly of wool use warm water, a warm rinse, squeeze out between towels or spin-dry (normal cycle), then dry flat after easing into shape. Do not dry in direct heat (radiators or fires). Do not dry white handknits in direct sunlight. For yarns made mainly of acrylics it is important that you rinse in cold water and if you spin-dry use the short cycle.

A great many people now use washing machines. The ball band will show whether the yarn you have chosen is suitable for machine-washing: if it is, follow these four "golden rules".

1. Make sure the garment is knitted correctly according to the Patons pattern, on the correct needles to the correct tension.
2. Don't have the water hotter than the recommended temperature.
3. Use the machine on a gentle cycle.
4. Don't leave the garment in the machine too long.

The wrappers on all Patons yarns show the appropriate International Textile Care Labelling Code symbols for the yarn. Examples are shown here. The latest automatic machines have these International Care Symbols, and provided your machine is not connected to the domestic hot water supply (when you need to be careful about the heat) all you have to

do is match the programme to our symbols. Older types of machine will not have these controls and it may be more difficult to ensure the correct combination of temperature, agitation and time.

If you are in any way unsure about the application of the symbols to your machine it is safest to hand-wash.

WASH SYMBOLS

	Machine	Hand wash
	Warm (40°C)	Warm (40°C)
	Maximum wash	
	Normal rinse and spin	
	Warm (40°C)	Warm (40°C)
	Minimum wash	
	Cold rinse Short spin Do not wring	
	Machine	Hand wash
	Warm (40°C)	Warm (40°C)
	Minimum wash	Do not rub
	Spin	Do not rub or hand-wring
	Dry flat	

	Hand wash only	
	Warm (40°C)	
	Warm rinse	Do not rub or hand-wring
	Dry flat	
BLEACH SYMBOLS		Household bleach can be used
		Do not bleach
IRONING SYMBOLS		Cool Iron (120°C)
		Warm Iron (160°C)
		Do not Iron
DRY CLEANING SYMBOLS		Dry cleanable in all solvents
		Dry cleanable in certain solvents
		Consult cleaner
		Do not dry clean

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWIN'S LIMITED

WARNING - COPYRIGHT All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Patons & Baldwins Limited to whom applications for commercial licences should be addressed.